


Rev	Description	By	Date
B	Released for Production	MIG	17-Mar-16
C	Corrected pin dimensions and DC bias graph	AG	17-Sep-20

ELECTRICAL SPECIFICATIONS @ 25°C

L:	29μH±15% @ 10kHz, 1Vrms
Isat:	ΔL ≤ 10% @31A ΔL ≤ 30% @61A
Irms:	ΔT ≤ 20°C @ 29A ΔT ≤ 40°C @ 44A
DCR:	3.0mΩ Max
Hipot:	500Vdc, 1mA, 5s, wdg to core
Insulation Class:	Class H 180°C
RoHS Compliant:	Yes




SCHEMATIC



MARKING

MPS
HWI4427-044A-290H_REV#
Date Code

DIMENSIONS



Dimensions: mm/[inch]

Notice of Proprietary Property

These drawings and specifications are the property of MPS and shall not be reproduced, copied or used as the basis of manufacture or sale of apparatus without express written authorization

Dimensions Unless otherwise specified .XX ± 0.254mm [.010"] .XXX ± 0.13mm [.005"]		DRAWN BY:	MIG	17-Mar-16	SIZE	Part Number	REV
		CHECKED BY:	KC	18-Mar-16	A	HWI4427-044A-290H	C
				WEIGHT: 190 gms		SHEET: 1 OF 2	



MPS INDUSTRIES, INC.


www.mpsind.com

Tel: (310) 325-1043 Fax: (310) 325-1044

Description

Helical Wound Inductor

Rev	Description	By	Date
B	Released for Production	MIG	17-Mar-16
C	Corrected pin dimensions and DC bias graph	AG	17-Sep-20



Notice of Proprietary Property

These drawings and specifications are the property of MPS and shall not be reproduced, copied or used as the basis of manufacture or sale of apparatus without express written authorization



MPS INDUSTRIES, INC.

www.mpsind.com

Tel: (310) 325-1043 Fax: (310) 325-1044

Description		Helical Wound Inductor	
Part Number	HWI4427-044A-290H		REV
SCALE: X:X	WEIGHT: 190 gms	SHEET: 2 OF 2	

Dimensions Unless otherwise specified .XX ± 0,254mm [.010"] .XXX ± 0,13mm [.005"]	DRAWN BY: CHECKED BY:	MIG KC	17-Mar-16 18-Mar-16	SIZE A
C				